

Copy
GAS 13779

STATE OF NEVADA
DEPARTMENT OF AGRICULTURE
DIVISION OF MEASUREMENT STANDARDS
BUREAU OF WEIGHTS AND MEASURES

2150 Frazer Avenue
Sparks, Nevada 89431
Phone (775) 353-3782

2300 McLeod Street
Las Vegas, Nevada 89104
Phone (702) 668-4546

4780 E. Idaho Street
Elko, Nevada 89801
Phone (775) 738-8076

CERTIFICATE OF INSPECTION

This is to certify that in accordance with Nevada law, I have tested the weighing and/or measuring devices said to be the property of or used by: BRAND Chevron

Business Name Terrible Herbst #237
Address 3836 W Ann rd
City Las Vegas Zip 89030
County Clark
Phone (702) 645-2922

Same as Business
Bill to on file
Address.....
City.....
State..... Zip.....
Phone ().....
Attention.....
Tax ID No.

Business/Address Changed From:

DEVICES

Type	Number	Date Last Inspected	Inspected by	Area
L1	64	5-14-18	ML	01
L2				

Inspection Status: Complete Incomplete

Violations Outstanding: Yes No

Device count/type changes:

New Annual Biennial Complaint No. 023819-JT-07 Recheck Regulatory Special Other

ITEM	S	A	00/0S
1 Gas Pumps (L1)			
2 Gas Pumps (L2)			
Visual Inspection Items	OK		v
3 Price Signs			
4 Gas Pump Labeling			
5 Fill Pipe Labeling			
6 Fill Pipe Caps and Gaskets			
7 Antifreeze Brands			
8			
9 Lead Wire Seals			
10 Samples Taken		6	
Total Testing Gallons	<u>0</u>	<u>0</u>	
	Unl. (87) Oct.	Unl. (89) Oct.	
<u>0</u>	<u>0</u>		
Unl. (91) Oct.	Diesel	Other	

Received complaint that a customer received 87 octane fuel at this location 2-14-19 and shortly after had problems with her vehicle.
- Took samples of 87, 89, 91 octane, and diesel from pump 14. Also took samples from both 87 octane ground tanks. Used kobr kut water detection paste and observed no presence of water. No phase separation.
- Complaint pending lab results.

Judith

is emailing february's load sheets.

Type of Inspection	Type of Device	No. of Device	Fee Each	Subtotal	Type of Device	No. of Device	Fee Each	Subtotal	TOTAL
New/Additions	L1	X	\$	= \$	L2	X	\$	= \$	\$
RC/Spc	L1	X	\$	= \$	L2	X	\$	= \$	\$
									Total \$

Remarks Test fuel returned to storage tanks

I hereby agree to correct the above-stated violations within.....working days.

Inspection Time 3:00

X. [Signature]
Signature

[Signature]
Deputy State Sealer

3-4-19
Date

Copy



Consumer Equitability Consumer Complaint Form

INVESTIGATION # 022819-JT-07 DATE: 02/28/19 TIME: 2:27pm

COMPLAINT REC'D BY: Jamie INVESTIGATOR/INSPECTOR: Nathan Waldman

Phone Voicemail Email Online Walk-In Other

COMPLAINANT'S NAME: Kiera Requests Investigation Results

PHONE #: _____ EMAIL: _____

BUSINESS NAME: Terrible's AREA #: 1

ADDRESS/CROSSROADS: 2836 W. Ann Road

CITY: N. Las Vegas ZIP: 89030 COUNTY: Clark

PHONE # (if available): (702) 645-2922

DATE OF OCCURRENCE: 02/14/19 TIME OF OCCURENCE: NA

TYPE OF COMPLAINT: Fuel Station Pump #: NA Grade: 87 Petroleum Contamination

Scale Price Verification/Scanning Packaging Other

COMPLAINT DESCRIPTION:

Complainant states that she purchased gas on 02/14, shortly after she had problems with her car. She took it to her local dealership where they confirmed she purchased bad fuel. She stated she can't remember the pump # but that she drove by a few days ago and noticed cones in front of the pump. I informed her that it sounds like location is taking care of it but will still submit to Vegas Supervisor.

INVESTIGATOR/INSPECTOR USE ONLY:

INVESTIGATOR/INSPECTOR NAME: Nathan Waldman

DATE OF INVESTIGATION: 3-4-19 TIME OF INVESTIGATION: 13:00 TOTAL TIME: 3 hours

INVESTIGATION REPORT: Took samples of 87, 89, 91 octane and diesel from pump 14. Also took samples from both 87 octane ground tank. Checked tanks for water using Kulor Kut water detection paste found no evidence of water. No visible phase separation. Complaint results pending lab results.

INVESTIGATION STATUS: Valid Invalid Undetermined

DID INVESTIGATOR/INSPECTOR CONTACT COMPLAINANT FOR RESULTS?

Yes Date: _____ Time: _____ No

INVESTIGATOR/INSPECTOR SIGNATURE: Nathan Waldman

405 South 21st St.
Sparks, NV 89431

2300 East St. Louis Ave.
Las Vegas, NV 89104

4780 East Idaho St.
Elko, NV 89801

BATCH# 27 - CC

190300

copy

Sulfur	Laboratory #	Sequence #	Other
	11-1	1 GAS	
		2 ↓	
		3	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		11	
		12	
		13	
		14	
		15	
		16	
		17	
		18	
		19	
		20	
		21	
		22	
		23	
		24	
		25	
		26	
		27	
		28	
		29	
03 March 2019		30	
↳ June		31	
		32	
		33	
		34	
		35	
GAS/Total - 2		36	
		37	
		38	
		39	
Station - 1		40	
		41	
		42	
		43	

cc (190300 11-1-10)
passed
Rowolins passed (10)
Tillich Distillation
Stank 15/11/19

[Handwritten signature]

limstable1-1/31/2005

NO SULFUR - BROKE
NO GC - BROKE
NO Cetane - BROKE
%EtOH with Batch # NO

19030011	2	<input checked="" type="checkbox"/>
----------	---	-------------------------------------

[Back to Sample Login](#)



State of Nevada
Department of Agriculture

Petroleum Laboratory
2300 McLeod Street
Las Vegas, NV 89104

Inspector:	Nathan Waldron	Sample Number:	19030011-00001
Customer:	Terrible Herbst #237 - Chevron 2836 West Ann Rd North Las Vegas, NV 89031	Customer Sample ID:	NW030419-05
Product:	Gasoline	Sample Date:	3/4/2019
		Container:	east tank

Test	Gas Analysis Group Results	D 4814 Specifications
Octane Screen Octane	89.2	87 min
Percent ETOH Ethanol	8.7 %	10 max
Vapor Pressure Pressure	12.14 psi	13.5 max

Chemists:

Shannon Rudolph

- ¹ Corrected to 760 mm Hg
- ² State of Nevada Regulation

This sample has been analyzed and found to be in compliance with specifications for gasoline.



State of Nevada
Department of Agriculture

Petroleum Laboratory
2300 McLeod Street
Las Vegas, NV 89104

Inspector: Nathan Waldron
Customer: Terrible Herbst #237 - Chevron
2836 West Ann Rd
North Las Vegas, NV 89031
Product: Gasoline
Sample Number: 19030011-00002
Customer Sample ID: NW030419-06
Sample Date: 3/4/2019
Container: west tank

West	Gas Analysis Group Results	D 4814 Specifications
Octane Screen Octane	89.3	87 min
Percent EtOH Ethanol	8.1 %	10 max
Vapor Pressure Pressure	12.34 psi	13.5 max

Chemists:

Shannon Rudolph

- * Corrected to 760 mm Hg
- * State of Nevada Regulation

This sample has been analyzed and found to be in compliance with specifications for gasoline.

**DEPARTMENT OF AGRICULTURE
DIVISION OF CONSUMER EQUITABILITY**

Las Vegas Office:
2300 E. St. Louis Avenue
Las Vegas, Nevada 89104
Telephone (702) 668-4541
Facsimile (702) 668-4567

Office of Weights and Measures
Office of Petroleum Technology
2150 Frazer Avenue, Sparks, Nevada 89431
Telephone (775) 353-3782 • Fax (775) 353-3798

Elko Office:
4780 E. Idaho Street
Elko, Nevada 89801
Telephone (775) 738-8076
Facsimile (775) 738-2639


PETROLEUM SAMPLE COLLECTION DATA


INSPECTION NO. N. W. 0 3 0 4 1 9 Station ID (Lab use) CLORSI
Initials Month Day Year

BUSINESS NAME Terrible Herbst #234 BRAND Chevron #237

ADDRESS 2836 W. Ann CITY N. Las Vegas ZIP 89030 89031



Sample No.	Can No.	Product	Insp. Type	Source	Sample Amt. gal.	Octane	Pump Labeled as	Product and Inspection Codes
5	1029	G	C	Eastmost Regular tank	.25	87	Regular	G--Gasoline D#--Diesel/grade AV--Aviation Gas J--Jet Fuel K#--Kerosene/grade O--Other
6	1690	G	C	Westmost Regular tank	.25	87	Regular	
								R--Routine C--Complaint O--Octane only F--Followup L--Lab Request


Attendant Signature


Inspector Signature

TYPE OF COMPLAINT Fuel Quality CONSUMER COMPLAINT NO. 022819-JT-07

Relinquished by Nathan Waldman Received by _____ Date and Time 3-4-19 15:30
 Relinquished by _____ Received by _____ Date and Time _____

LABORATORY USE ONLY								190300
No.	Received	Seal Broken	By	Analyzed	By	Pass/Fail	Violation	Lab No.
5	3.5.19	3.5.19		3.5.19		(P) F		11-1
6	1	1	1	1	1	(P) F		2
						P F		
						P F		
						P F		

Remarks _____

BATCH # 2B - CC

190300

up

Sulfur	Laboratory #	Sequence #	Other
	12-1	1 GAS	
		2	
		3	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		11	
		12	
		13	
		14	
		15	
		16	
		17	
		18	
		19	
		20	
		21	
		22	
		23	
		24	
		25	
		26	
		27	
		28	
		29	
		30	
OS March 2019		31	
↳ June		32	
		33	
		34	
		35	
Gas/Total	- 1	36	
		37	
		38	
		39	
Station	- 1	40	
		41	
		42	
		43	

limstable1- 1/31/2005

NO SULFUR - BROKE
 NO GC - BROKE
 NO Cetane - BROKE
 %EtOH with Batch # NB

19030012	1	<input checked="" type="checkbox"/>
----------	---	-------------------------------------

[Back to Sample Login](#)



State of Nevada
Department of Agriculture

Petroleum Laboratory
2300 McLeod Street
Las Vegas, NV 89104

Inspector: Nathan Waldron	Sample Number: 19030012-00001
Customer: Terrible Herbst #237 - Chevron 2836 West Ann Rd North Las Vegas, NV 89031	Customer Sample ID: NW030419-01 Sample Date: 3/4/2019
Product: Gasoline	Container: pump14

Test	Gas Analysis Group Results	D 4814 Specifications
Octane Screen Octane	89.3	87 min
Percent EtOH Ethanol	9.3 %	10 max
Vapor Pressure Pressure	12.27 psi	13.5 max

Chemists:

Shannon Rudolph

- ¹ Corrected to 760 mm Hg
- ² State of Nevada Regulation

This sample has been analyzed and found to be in compliance with specifications for gasoline.

**DEPARTMENT OF AGRICULTURE
DIVISION OF CONSUMER EQUITABILITY**

Las Vegas Office:
2300 E. St. Louis Avenue
Las Vegas, Nevada 89104
Telephone (702) 668-4541
Facsimile (702) 668-4567


Office of Weights and Measures
Office of Petroleum Technology
2150 Frazer Avenue, Sparks, Nevada 89431
Telephone (775) 353-3782 • Fax (775) 353-3798


Elko Office:
4780 E. Idaho Street
Elko, Nevada 89801
Telephone (775) 738-8076
Facsimile (775) 738-2639

PETROLEUM SAMPLE COLLECTION DATA



INSPECTION NO. N.W. 030419 Station ID (Lab use) CL0851
Initials Month Day Year
 BUSINESS NAME Terrible Herbst #237 BRAND Chevron
 ADDRESS 2836 W. Ann. rd. CITY M. Las Vegas ZIP 89030 89031

Sample No.	Can No.	Product	Insp. Type	Source	Sample Amt. gal.	Octane	Pump Labeled as	Product and Inspection Codes
1	390	G	C	Pump 14	.25	87	Regular	G--Gasoline D#--Diesel/grade AV--Aviation Gas J--Jet Fuel K#--Kerosene/grade O--Other
2	1141	G	R	Pump 14	.25	89	Plus	
3	1579	G	R	Pump 14	.25	91	Supreme	
4	981	D#2	R	Pump 14	.25	D#2	Diesel #2	R--Routine C--Complaint O--Octane only F--Followup L--Lab Request


Attendant Signature


Inspector Signature

TYPE OF COMPLAINT Fuel Quality CONSUMER COMPLAINT NO. 022819-11-07
 Relinquished by Nathan Waldron Received by _____ Date and Time 3-4-19 15:30
 Relinquished by _____ Received by _____ Date and Time _____

LABORATORY USE ONLY								
No.	Received	Seal Broken	By	Analyzed	By	Pass/Fail	Violation	Lab No.
1	3.5.19	3.5.19		3.5.19		<u>P</u> F		12-1
						P F		
						P F		
						P F		
						P F		

Remarks: _____

**DEPARTMENT OF AGRICULTURE
DIVISION OF CONSUMER EQUITABILITY**

Las Vegas Office:
2300 E. St. Louis Avenue
Las Vegas, Nevada 89104
Telephone (702) 668-4541
Facsimile (702) 668-4567

Office of Weights and Measures
Office of Petroleum Technology
2150 Frazer Avenue, Sparks, Nevada 89431
Telephone (775) 353-3782 • Fax (775) 353-3798

Elko Office:
4780 E. Idaho Street
Elko, Nevada 89801
Telephone (775) 738-8076
Facsimile (775) 738-2639


PETROLEUM SAMPLE COLLECTION DATA


INSPECTION NO. N. W. 030419 Station ID (Lab use) CL0851
Initials Month Day Year

BUSINESS NAME Terrible Herbst #237 BRAND Chevron













ADDRESS 2836 W. Annal CITY N. Las Vegas ZIP 89030 89031

Sample No.	Can No.	Product	Insp. Type	Source	Sample Amt. gal.	Octane	Pump Labeled as	Product and Inspection Codes
1	390	G	C	Pump 14	.25	87	Regular	G--Gasoline D#--Diesel/grade AV--Aviation Gas J--Jet Fuel K#--Kerosene/grade O--Other
2	1141	G	R	Pump 14	.25	89	Plus	
3	1579	G	R	Pump 14	.25	91	Supreme	
4	981	D#2	R	Pump 14	.25	D#2	Diesel #2	R--Routine C--Complaint O--Octane only F--Followup L--Lab Request


Attendant Signature


Inspector Signature

TYPE OF COMPLAINT Fuel Quality CONSUMER COMPLAINT NO. 022919-11-07
Relinquished by Nathan Waldron Received by _____ Date and Time 3-4-19 15:30
Relinquished by _____ Received by _____ Date and Time _____

LABORATORY USE ONLY								190300
No.	Received	Seal Broken	By	Analyzed	By	Pass/Fail	Violation	Lab No.
2	3.5.19	3.5.19		3.19.19		(P) F		13-1
3						(P) F		2
4						P F		3
						P F		
						P F		

Remarks Copy - original w/ Batch # 28-CC
Just NW



State of Nevada
Department of Agriculture

Petroleum Laboratory
2300 McLeod Street
Las Vegas, NV 89104

Inspector: Nathan Waldron
Customer: Terrible Herbst #237 - Chevron
2836 West Ann Rd
North Las Vegas, NV 89031
Product: Gasoline
Sample Number: 19030013-00001
Customer Sample ID: NW030419-02
Sample Date: 3/4/2019
Container: pump14

Test	Gas Analysis Group Results	D 4814 Specifications
Distillation ¹		
10 Percent Recovered		55 max
50 Percent Recovered		66 min
		113 max
90 Percent Recovered		185 max
End Point		225 max
Octane Screen		
Octane	91.9	89 min
Percent EtOH		
Ethanol	9.6 %	10 max
Sulfur		
Sulfur		95 max
Vapor Pressure		
Pressure	12.01 psi	13.5 max

Chemists:

Shannon Rudolph

¹ Corrected to 760 mm Hg

² State of Nevada Regulation

This sample has been analyzed and found to be in compliance with specifications for gasoline.



State of Nevada
Department of Agriculture

Petroleum Laboratory
2300 McLeod Street
Las Vegas, NV 89104

Inspector: Nathan Waldron	Sample Number: 19030013-00002
Customer: Terrible Herbst #237 - Chevron	Customer Sample ID: NW030419-03
2836 West Ann Rd	Sample Date: 3/4/2019
North Las Vegas, NV 89031	
Product: Gasoline	Container: pump14

Test	Gas Analysis Group Results	D 4814 Specifications
<hr/>		
Distillation ¹		
10 Percent Recovered		55 max
50 Percent Recovered		66 min
		113 max
90 Percent Recovered		185 max
End Point		225 max
<hr/>		
Octane Screen		
Octane	93.5	91 min
<hr/>		
Percent EtOH		
Ethanol	9.8 %	10 max
<hr/>		
Sulfur		
Sulfur		95 max
<hr/>		
Vapor Pressure		
Pressure	12.02 psi	13.5 max

Chemists:

Shannon Rudolph

¹ Corrected to 760 mm Hg

² State of Nevada Regulation

This sample has been analyzed and found to be in compliance with specifications for gasoline.